



Yale Catalogue

Mechanical Lock



Entrance Lockset



- **KEY IN KNOB**
- **KEY IN LEVER**
- **DEADBOLT**

Yale offers a vast choice of door lock-sets all doors in your home. We have designed a comprehensive range of door handle-sets for your entrance doors, door lever-sets and knob-sets for your internal doors. These door lock-sets are in exceptionally high quality, with variety of functions, dimensions, finishes and styles to suit most security and decor needs.



VCA5120 Series Key-In-Knob

VCA5120 Series

is the economic choice for standard residential purpose. Recommended for use on internal doors.



VCA5125 US32D Cylinder Knobset

Finishes:


US11

US32D


Knob Style	Series Name	Function Code	Finish Code	Backset Code		Strike Code
VCA	512	1 - Passage Or Closet	US11 - Antique Copper	B60 = 60mm	B70 = 70mm	S70 Strike Length = 70mm (Standard Offering)
			US32D - Satin Stainless Steel			
		2 - Privacy, Bedroom or Bathroom	US11 - Antique Copper			
			US32D - Satin Stainless Steel			
		5 - Storeroom or Closet	US11 - Antique Copper			
			US32D - Satin Stainless Steel			
		7 - Entrance	US11 - Antique Copper			
			US32D - Satin Stainless Steel			

Product Specification


- Standard** | ANSI / BHMA A 156.2 2003
- Testing Cycles** | Guaranteed for 175,000 Cycles
- Materials** |
 - Chassis : Steel
 - Latch and Bolt : Zinc
 - Strike : Stainless Steel / Steel
 - Knob : Stainless Steel / Brass
 - Rose : Stainless Steel / Brass
- Backset** | 60mm / 70mm
- Door Thickness** | 35 - 50 mm
- Function** | Entrance, Bathroom, Passage, Storeroom
- Cylinder** | Solid brass 5-pin tumble cylinder plug with zinc housing
- No of Keys** | 3 pcs of nickel plated brass key
- Quantity / Ctn** | 24 pcs



Faceplate



Standard Strike 70mm



Product Dimension

Model No.	Dimension (mm)				
	A	B	C	H	S
VCA	60/70	65	60-68	11.5	53.5

VCA5130 Series Key-In-Knob



VCA5130 Series

Standard Duty Cylindrical Knobset



VCA5137 US32D

Cylinder Knobset

Finishes:

US11

US32D

Knob Style	Series Name	Function Code	Finish Code	Backset Code		Strike Code
VCA	513	7 - Entrance	US11 - Antique Copper	B60 = 60mm	B70 = 70mm	S70 Strike Length = 70mm (Standard Offering)
			US32D - Satin Stainless Steel			

Product Specification

Testing Cycles | Guaranteed for 100,000 Cycles

Materials | - Chassis : Steel
- Latch and Bolt : Zinc
- Strike : Stainless Steel / Steel
- Knob : Stainless Steel / Brass
- Rose : Stainless Steel / Brass

Backset | 60mm / 70mm


Door Thickness | 35 - 50mm

Function | Entrance


Cylinder | Solid brass 5-pin tumbler cylinder

No of Keys | 3 pcs of nickel plated brass key


Quantity / Ctn | 24 pcs



Faceplate



Standard Strike 70mm



Product Dimension

Model No.	Dimension (mm)				
	A	B	C	H	S
VCA	59	65	67	12.5	51



VCA5230 Series Key-In-Knob

VCA5230 Series

Standard Duty Cylindrical Knobset



VCA5237 US32D

Cylinder Knobset

Finishes:


US11 

US32D 


Knob Style	Series Name	Function Code	Finish Code	Backset Code		Strike Code
VCA	523	7 - Entrance	US11 - Antique Copper	B60 = 60mm	B70 = 70mm	S70 Strike Length = 70mm (Standard Offering)
			US32D - Satin Stainless Steel			

Product Specification


- Standard** | ANSI / BHMA A 156.2 2003 Grade 3
- Testing Cycles** | Guaranteed for 200,000 Cycles
- Materials** |
 - Chassis : Steel
 - Latch and Bolt : Zinc
 - Strike : Stainless Steel / Steel
 - Knob : Stainless Steel / Brass
 - Rose : Stainless Steel / Brass
- Backset** | 60mm / 70mm
- Door Thickness** | 35 - 50mm
- Function** | Entrance
- Cylinder** | Solid brass 5-pin tumble cylinder
- No of Keys** | 3 pcs of nickel plated brass key
- Quantity / Ctn** | 24 pcs



Faceplate



Standard Strike 70mm




Product Dimension

Model No.	Dimension (mm)				
	A	B	C	H	S
VCA	59	65	67	12.5	51

Functions Key-In-Knob

1 Passage or Closet


- Latchbolt by either knob



Outside Inside

2 Privacy, Bedroom or Bath


- Both knobs locked or unlocked by push-button inside
- Push-button automatically releases when inside knob is turned or door is closed
- Outside knob unlocked with a coin insert. Inside knob always free



Outside Inside

3 Patio or Privacy


- Deadlocking latch bolt for exit doors with limited entry
- Both knobs locked or unlocked by push-button inside
- Push-button automatically releases when inside knob is turned or door is closed
- Inside knob always free



Outside Inside

5 Storeroom or Closet


- Open from the outside only when the key is turned
- Inside knob always free



Outside Inside

7 Entrance


- Both knobs locked or unlocked by key outside or push-button inside
- For 5800 series, outside locked or unlocked by key outside or push-button inside
- Inside knob always free



Outside Inside

8 Classroom


- Outside locked or unlocked by key outside
- Inside knob always free



Outside Inside

21 Communicating


- Key in either knobs or unlocks its knob only



Outside Inside

28 Exit


- Deadlocking latchbolt for two communicating or exit doors where one-side operation is required
- Inside knob always free
- Blank rose outside



Outside Inside

35 Communicating

- Deadlocking latchbolt for doors with a thickness of 35mm to 45mm only.
- Full turn of key locks or unlocks knob inside
- Blank rose outside



Outside Inside



VL5340 Series Key-In-Lever

VL5340 Series Medium Duty Tubular Leverset

VL5300 is easy to install, recommended as the economic choice for standard residential applications.



VL5342 US15 Tubular Leverset

Finishes :

US15

Knob Style	Series Name	Function Code	Finish Code	Backset Code		Strike Code
				B60 = 60mm	B70 = 70mm	
VL	534	2 - Privacy, Bedroom or Bathroom	US15- Satin Nickel	B60 = 60mm	B70 = 70mm	S70 Strike Length = 70mm (Standard Offering)
		7 - Entrance				

Product Specification

Standard | ANSI / BHMA A 156.2 2003 Grade 3

Testing Cycles | Guaranteed for 200,000 Cycles

Materials | Chassis : Steel
 -Latch and Bolt : Zinc
 -Strike : Stainless Steel / Steel
 -Knob : Stainless Steel / Brass
 -Rose : Stainless Steel / Brass

Backset | 60mm / 70mm


Door Thickness | 35 - 50mm

Function | Residential and light duty commercial or institution use


Cylinder | Solid brass 5-pin tumble cylinder

No of Keys | 3 pcs of nickel plated brass key


Quantity / Ctn | 24 pcs



Faceplate



Standard Strike 70mm




Product Dimension

Model No.	Lever Style	Dimension (mm)					
		A	B	C	D	H	S
VL534	2	60/70	65	61	41	12.5	118
	7	60/70	65	61	41	12.5	118

Functions Key-In-Lever


1 Passage or Closet

- Both levers always free




2 Privacy, Bedroom or Bath

- Both levers locked or unlocked by push-button inside
- Push-button automatically release when inside lever is turned or door is closed
- Outside lever unlocked with a coin insert
- Inside lever always free



7 Entrance

- Both levers locked or unlocked by key outside or push-button inside






V8100 Series Standard Duty Deadbolt

V8100 Series


is an economical durable deadbolt, ideal for use as an auxiliary lock on residential applications.



V8101 US32D

One Side Deadbolt (Internal Function)



Finishes :



V8111 US32D

Single Cylinder with Thumbturn

Finishes :



V8121 US11

Double Cylinder Deadbolt


Finishes :




Series Name	Function Code	Finish Code	Backset Code	Strike Code	Door Thickness
V81	01	US11 - Antique Copper	Adjustable Backset of 60mm or 70mm	Standard Rectangle Strike Length = 57mm	T1 = 35mm - 50mm
		US32D - Satin Stainless Steel			
	11	US11 - Antique Copper			
		US32D - Satin Stainless Steel			
	21	US11 - Antique Copper			
		US32D - Satin Stainless Steel			

Product Specification

- Standard** | ANSI / BHMA A 156.2 2001
- Testing Cycles** | 100,000 Cycles Tested
- Materials** | - Chassis : Steel
- Latch and Bolt : Zinc
- Cylinder Housing : Steel
- Round Plate : Brass
- Backset** | 60mm / 70mm
- Door Thickness** | 35 - 50mm
- Function** | Residential applications.
- Anti-Sawing Insert** | Hardened Steel
- Cylinder** | Solid brass 5-pin tumble cylinder
- No of Keys** | 3 pcs of nickel plated brass key
- Quantity / Ctn** | 24 pcs




Faceplate



Standard Strike 70mm

Tubular Lever Handle



YTL-010

U-Shape Tubular Lever Handle With Escutcheon


Finishes:

US32D

Product Specification

Lever on Rose

- Materials** | Satin Stainless Steel
- Length** | 130mm
- Spindle** | 8mm x 8mm Straight Spindle Standard
- Quantity / Ctn** | 40 pcs



YTL-080

L-Shape Tubular Lever Handle with Escutcheon

Finishes:

US32D

Product Specification

Lever on Rose

- Materials** | Satin Stainless Steel
- Length** | 137mm
- Spindle** | 8mm x 8mm Straight Spindle Standard
- Quantity / Ctn** | 40 pcs

YEC70 Essential Series Profile Cylinder



YEC70CT
Thumbturn Cylinder


Finishes :

US15 


Series Name	Cylindrical Type	Types	Finish Code
YEC	70mm	US15	US15 - Satin Nickle

Product Specification and Features

- EN1303 tested
- Brass plug with Aluminium housing for durable application
- 5 pins construction
- 3 x Solid Brass Keys
- Available in 60mm (30/30mm) and 70mm (35mm/35mm) to cover most common door thickness (35mm - 48mm)
- Available only with key differ and packed with the Yale Mortise Lock



Door Accessories




- **DOOR CHAIN**
- **DOOR GUARD**
- **DOOR VIEWER**

Yale door accessories are easy to install and use, and cater to a range of low budgets with additional door security needs.

- Yale door guards have been designed with a ball locking mechanism to match the plate and holder, to provide additional security to stop unauthorized entry to your home even if the door lock has been picked.
- Yale door chains allow for safe caller identification before the full release of the door.
- Yale high quality door viewers providing a wide angle of view without straining your eyes and protect yourself and your family from potential burglary and intruders.

Door Accessories




V18L US26D

Door Guard

Finishes :

US11




Product Specification

Ball locking mechanism to match plate and holder

For use on wooden door

Materials | Zinc Alloy

Quantity / Ctn | 40 pcs




V1037 US26D

Door Chain

Finishes :

US11 US26



Product Specification

For use on wooden door

Materials | Steel

Quantity / Ctn | 40 pcs




V0401A US26D

Door Viewer

Finishes :

US11



Product Specification

For use on wooden door

Fit door thickness | 35 - 60 mm

Wide angle of view | 180°

Option view cover

Materials | Body : Brass
 Lens : Plastic/ Glass

Quantity / Ctn | 200 pcs

Door Closer



- **DOOR CLOSER**

Yale offers a wide range of door closer with various closing forces for application on wood, metal or glass doors.

C-77EN Series Door Closer



C-77EN2

Door Closer

Finishes :

SB 

Product Specification

- Certification** | UL Listed.
Conform to UL228 & UL10C
- Passed Durability Test** | 100,000 Cycles
-Easily adjustable arm height
-Max opening angle 105°
-Reversible (Left/ Right hand fixing)
- Two speed valves** | -One to control closing speed from 105° to 15°
-Second to activate final latch from 15° to 0°
-Backcheck (BC):Optional
- Quantity / Ctn** | 10 pcs
- Function** | Fix Arm

Model No.	Dimension			Max. Width of Door (mm)	Max. Weight of Door (kg)	Arm Type	Torque Max	Option Features	Finish
	L	W	H						
EN2	182	53	60.5	850	40	12 Hold Open Arm	18 NM	Backcheck	SB Silver

C-77EN Series Door Closer



C-77EN4

Door Closer

Finishes :

SB 

Product Specification

- Certification** | UL Listed.
Conform to UL228 & UL10C
- Passed Durability Test** | 300,000 Cycles
-Easily adjustable arm height
-Max opening angle 180°
-Reversible (Left/ Right hand fixing)
- Two speed valves** | -One to control closing speed from 180° to 15°
-Second to activate final latch from 15° to 0°
-Backcheck (BC):Optional
- Quantity / Ctn** | 10 pcs

Model No.	Dimension			Max. Width of Door (mm)	Max. Weight of Door (kg)	Arm Type	Torque Max	Option Features	Finish
	L	W	H						
EN4	182	53	60.5	1100	80kg	12 Hold Open Arm	37 Nm	BC Backcheck	SB Silver

PadLock



- **PADLOCK**
- **TRAVEL LOCK**

It may seem like an impossible task to improve on an object that has already been a part of our lives for generations. But with new developments in design innovation, materials and changing end user needs, Yale applies new insights into production techniques to make its products as user-friendly and as secure as possible.

As the world changes, Yale locks evolve. Whether in extreme conditions, outdoor or indoor, the new Yale padlock range offers universally relevant locking solutions to survive years of use in all types of environments.

Y120B Series Boron Padlock



Y120B/40/125/1

Body Material	Brass/ Chrome Plated
Shackle Material	Boron
No. of Padlock	1
No. of Key	3
Security Grading	2
Corrosion Rating	Outdoor
Quantity / Ctn	1 pc Pack - 72



Y120B/50/127/1

Body Material	Brass/ Chrome Plated
Shackle Material	Boron
No. of Padlock	1
No. of Key	3
Security Grading	2
Corrosion Rating	Outdoor
Quantity / Ctn	1 pc Pack - 36



Y120B/50/127/2

Body Material	Brass/ Chrome Plated
Shackle Material	Boron
No. of Padlock	1
No. of Key	3 Keys Each Blister
Security Grading	2
Corrosion Rating	Outdoor
Quantity / Ctn	2 pcs Pack - 24



Y120B/50/127/4

Body Material	Brass/ Chrome Plated
Shackle Material	Boron
No. of Padlock	1
No. of Key	4 Keys Each Blister
Security Grading	2
Corrosion Rating	Outdoor
Quantity / Ctn	4 pcs Pack - 12



Y120B/50/163/1

Body Material	Brass/ Chrome Plated
Shackle Material	Boron
No. of Padlock	1
No. of Key	3
Security Grading	2
Corrosion Rating	Outdoor
Quantity / Ctn	1 pc Pack - 36



Y120B/60/135/1

Body Material	Brass/ Chrome Plated
Shackle Material	Boron
No. of Padlock	1
No. of Key	3
Security Grading	3
Corrosion Rating	Outdoor
Quantity / Ctn	1 pc Pack - 24



Y121B Series Closed Shackle Brass Padlock



Y121B/40/125/1

Body Material	Solid Brass/ Black Cover
Shackle Material	Boron Steel
No. of Padlock	1
No. of Key	3
Corrosion Rating	Outdoor
Quantity / Ctn	1 pc Pack - 120



Y121B/50/132/1

Body Material	Solid Brass/ Black Cover
Shackle Material	Boron Steel
No. of Padlock	1
No. of Key	3
Corrosion Rating	Outdoor
Quantity / Ctn	1 pc Pack - 72

Y150B Series Brass Combination Padlock



Y150B/30/125/1

Body Material	Brass/ Clear Lacquer
Shackle Material	Steel
No. of Padlock	1
No. of Key	0
Corrosion Rating	Indoor
Quantity / Ctn	1 pc Pack - 120



Y150B/40/130/1

Body Material	Brass/ Clear Lacquer
Shackle Material	Steel
No. of Padlock	1
No. of Key	0
Corrosion Rating	Indoor
Quantity / Ctn	1 pc Pack - 72



Y-120 Series Baron Padlock Matrix

New Part Number	Description	Qty Key Each Blister	Locking Point	Qty Pin	Body Width	Body Height	Body Depth	Shackle Diameter	Corrosion Resistance	Security Level On Packaging	EN12320 Result (CEN Rating)	Yale Internal Standard
120B/40/125/1	40mm Brass Padlock with Chrome Finish	3 pcs	Double Locking Brass latch	5	40	38.5	14	6	96 Hours	High	2	5
Y120B/50/127/1	50mm Brass Padlock with Chrome Finish	3 pcs	Double Locking Brass latch	5	50	47	17	7	96 Hours	High	2	6
Y120B/50/127/2	50mm Brass Padlocks with Chrome Finish pk2	3 pcs	Double Locking Brass latch	5	50	47	17	7	96 Hours	High	2	6
Y120B/50/127/4	50mm Brass Padlocks with Chrome Finish pk4	4 pcs	Double Locking Brass latch	5	50	47	17	7	96 Hours	High	2	6
Y120B/50/163/1	50mm Brass Padlock with Chrome Finish Long Shackle	3 pcs	Double Locking Brass latch	5	50	47	17	7	96 Hours	High	2	6
Y120B/60/135/1	60mm Brass Padlock with Chrome Finish	3 pcs	Double Locking Brass latch	5	60	53.6	18	10	96 Hours	High	3	6

Y121B Series Closed Shackle Brass Padlock

New Part Number	Description	Qty Key	Locking Points	Qty Pin	Body Width	Body Height	Body Depth	Shackle Diameter	Corrosion Resistance	Security Level On Packaging	EN12320 Result (CEN Rating)	Yale Internal Standard
Y121/40/125	40mm Closed Shackle Brass Padlock	3	5 pin cylinder Brass closed shackle	5	46	70	20	7	-	Standard	-----	5
Y121/50/132	50mm Closed Shackle Brass Padlock	3	5 pin cylinder with anti pick mushroom pins	5	58	77	26.4	9	-	Standard	-----	6

Y150B Series Brass Combination Padlock Matrix

New Part Number	Description	Qty Key	Locking Points	Qty Pin	Body Width	Body Height	Body Depth	Shackle Diameter	Corrosion Resistance	Security Level On Packaging	EN12320 Result (CEN Rating)	Yale Internal Standard
Y150B/30/125/1	30mm Brass Combination Padlock	NA	Single Locking Zinc die cast latch	3 dial	31.5	44.5	13	4.75	96 Hours	Standard	-----	2
Y150B/40/130/1	40mm Brass Combination Padlock	NA	Single Locking Zinc die cast latch	4 dial	40	50.4	14	6	96 Hours	Standard	-----	3



YE1 Series Essential Padlock



YE1/20/111/1 YE1/20/111/2 YE1/20/111/4

- Body Material** | Brass/ Natural
- Shackle Material** | Chrome-Plated Hardened Steel
- No. of Padlock** | 1
- No. of Key** | 3
- Corrosion Rating** | Indoor
- Quantity / Ctn**
 - | 1 pc Pack - 36
 - | 2 pcs Pack - 36
 - | 4 pcs Pack - 36



YE1/20/122/1

- Body Material** | Brass/ Natural
- Shackle Material** | Chrome-Plated Hardened Steel
- No. of Padlock** | 1
- No. of Key** | 3
- Corrosion Rating** | Indoor
- Quantity / Ctn** | 1 pc Pack - 36



YE1/25/113/1 YE1/25/113/2

- Body Material** | Solid Brass/ Natural
- Shackle Material** | Chrome-Plated Hardened Steel
- No. of Padlock** | 1
- No. of Key** | 3
- Corrosion Rating** | Indoor
- Quantity / Ctn**
 - | 1 pc Pack - 36
 - | 2 pcs Pack - 36



YE1/25/125/1

- Body Material** | Solid Brass/ Natural
- Shackle Material** | Chrome-Plated Hardened Steel
- No. of Padlock** | 1
- No. of Key** | 3
- Corrosion Rating** | Indoor
- Quantity / Ctn** | 1 pc Pack - 36



YE1/30/115/1 YE1/30/115/2

- Body Material** | Solid Brass/ Natural
- Shackle Material** | Chrome-Plated Hardened Steel
- No. of Padlock** | 1
- No. of Key** | 3
- Corrosion Rating** | Indoor
- Quantity / Ctn**
 - | 1 pc Pack - 36
 - | 2 pcs Pack - 36



YE1/30/132/1

- Body Material** | Solid Brass/ Natural
- Shackle Material** | Chrome-Plated Hardened Steel
- No. of Padlock** | 1
- No. of Key** | 3
- Corrosion Rating** | Indoor
- Quantity / Ctn** | 1 pc Pack - 36



YE1/30/147/1

- Body Material** | Solid Brass/ Natural
- Shackle Material** | Chrome-Plated Hardened Steel
- No. of Padlock** | 1
- No. of Key** | 3
- Corrosion Rating** | Indoor
- Quantity / Ctn** | 1 pc Pack - 36

YE1 Series Essential Padlock



YE1/40/122/1

YE1/40/122/2

YE1/40/122/4

- Body Material** | Brass/ Natural
- Shackle Material** | Chrome-Plated
Hardened Pteel
- No. of Padlock** | 1
- No. of Key** | 3
- Corrosion Rating** | Indoor
- Quantity / Ctn** | 1 pc Pack - 36
| 2 pcs Pack - 36
| 4 pcs Pack - 36



YE1/40/140/1

- Body Material** | Brass/ Natural
- Shackle Material** | Chrome-Plated
Hardened Steel
- No. of Padlock** | 1
- No. of Key** | 3
- Corrosion Rating** | Indoor
- Quantity / Ctn** | 1 pc Pack - 36



YE1/40/152/1

- Body Material** | Brass/ Natural
- Shackle Material** | Chrome-Plated
Hardened Steel
- No. of Padlock** | 1
- No. of Key** | 3
- Corrosion Rating** | Indoor
- Quantity / Ctn** | 1 pc Pack - 24



YE1/50/126/1

YE1/50/126/2

YE1/50/126/4

- Body Material** | Brass/ Natural
- Shackle Material** | Chrome-Plated
Hardened Steel
- No. of Padlock** | 1
- No. of Key** | 3
- Corrosion Rating** | Indoor
- Quantity / Ctn** | 1 pc Pack - 24
| 2 pcs Pack - 24
| 4 pcs Pack - 12



YE1/50/166/1

- Body Material** | Brass/ Natural
- Shackle Material** | Chrome-Plated
Hardened Steel
- No. of Padlock** | 1
- No. of Key** | 3
- Corrosion Rating** | Indoor
- Quantity / Ctn** | 1 pc Pack - 24



YE1/60/132/1


- Body Material** | Brass/ Natural
- Shackle Material** | Chrome-Plated
Hardened Steel
- No. of Padlock** | 1
- No. of Key** | 3
- Corrosion Rating** | Indoor
- Quantity / Ctn** | 1 pc Pack - 24



YE1/70/137/1

- Body Material** | Brass/ Natural
- Shackle Material** | Chrome-Plated
Hardened Steel
- No. of Padlock** | 1
- No. of Key** | 3
- Corrosion Rating** | Indoor
- Quantity / Ctn** | 1 pc Pack - 24

YE1 Series Essential Brass Padlock Matrix



C - Shackle Diameter (mm)

A - Clearance Height (mm)

B - Clearance Width (mm)

Model no.	Brass Body Width (mm)	C	Standard Shackle		Long Shackle		Extra-long Shackle	
YE1/20	20	3	11	11	-	-	-	-
YE1/25	25	4	14	13	-	-	-	-
YE1/30	30	5	16	15	32	15	47	15
YE1/40	40	6	22	21	40	21	52	21
YE1/50	50	8	26	26	66	26	-	-
YE1/60	60	10	32	31	-	-	-	-





Yalehome.com

ASSA ABLOY Opening Solutions

Malaysia Sdn Bhd

Level 1, East Wing, Wisma Consplant 1
No 2, Jalan SS16/4
47500 Subang Jaya
Selangor, Malaysia
Tel: +60 3 5651 7800
Fax: +60 3 5613 3889
yalehome.com/my
info@yale.com.my

PT ASSA ABLOY Indonesia

Unit 316, 3rd Floor,
Marga Guna Grand
Jl Marga Guna Raya
No 9, Pondok Indah
Jakarta, 12420 Indonesia
Tel: +62 21 720 6884
Fax: +62 21 720 6874
yalehome.com.sg
info.id@assaabloy.com

ASSA ABLOY Philippines Inc

Unit A Ground Floor, Suntree Tower
#13 Meralco Ave. Ortigas Center
Brgy. San Antonio
Pasig City, 1605 Manila
Philippines
Tel: +63 2 8564 6615
yalehome.com/ph
info.ph@assaabloy.com

ASSA ABLOY Singapore Pte Ltd

#08-08 Siemens Center Blk 1
60 MacPherson Road
348615 Singapore
Tel: +65 6880 0000
Fax: +65 6880 0500
yalehome.com/sg
sales.aasg@assaabloy.com

ASSA ABLOY Vietnam

20th Floor, 2Bis-4-6
Le Thanh Ton St
Ben Nghe Ward, Dist 1,
Ho Chi Minh City
Tel: +84 28 2249 8833
yalehome.com/vn
info.vn@assaabloy.com

ASSA ABLOY (Thailand) Ltd

1919, 5th Floor
Preecha Group Building
Pattanakarn Road, Suan Luang
Bangkok, 10250 Thailand
Tel: +66 2 722 7371
Fax: +66 2 722 7375
yale.co.th
info.th.opening@assaabloy.com

ASSA ABLOY Hong Kong Ltd

16th Floor, Excel Centre,
483A Castle Peak Road
Cheung Sha Wan, Kowloon
Hong Kong
Tel: +852 2260 0888
Fax: +852 2686 8682
yalehome.com/hk
sales.hk@assaabloy.com

ASSA ABLOY Taiwan

2F, No 217 Section 3,
Chengde Road
Datong District,
Taipei City 103
Taiwan (R.O.C)
Tel: +886 2 2586 0161
Fax: +886 2 2586 0171
yalehome.com/tw
sales.tw@assaabloy.com

Apple, the Apple logo and iPhone are trademarks of Apple Inc., registered in the U.S. and other countries and regions. App Store is a service mark of Apple Inc.
Google and Google Play are trademarks of Google LLC.
Google Assistant is not available in certain languages and countries.
For information on Amazon Alexa skills and country compatibility please refer to Amazon's website.
To control this HomeKit-enabled accessory, the latest version of iOS or iPadOS is recommended.

Trusted every day

Part of ASSA ABLOY